

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A printer comprising:

a print performing unit which can change a structure thereof and in which contents of an executable printing process change depending on the structure;

an apparatus name information storing unit which stores a plurality of apparatus name information as identification information of the apparatus coordinated with the structure; and

a request responding unit for transmitting the apparatus name information coordinated with the structure at that time when a prescribed request is received among the plurality of apparatus name information to an apparatus transmitting the request.

2. (original): A printer according to claim 1, further comprising: a rewriteable storing unit which stores a machine type designating value as information for designating any of the apparatus name information stored in the apparatus name information storing unit, wherein the request responding unit transmits the information designated from the plurality of apparatus name information by the machine type designating value stored in the rewriteable storing unit to the apparatus which transmits the request when the request responding unit receives the prescribed request.

3. (original): A printer according to claim 2, further comprising: a rewriting unit for rewriting the machine type designating value stored in the storing unit to a value corresponding to a changed structure when the structure is changed.

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

4. (original): A printer comprising:

a print performing unit which can change a structure thereof and operates in either a state capable of a color printing or a state capable of only a monochromatic printing in accordance with the structure; and

an output request responding unit for transmitting a printer name corresponding to the operating state of the print performing unit to an apparatus outputting an output request when the output request responding unit receives the output request of the printer name.

5. (original): A printer comprising:

a print performing unit which can change a structure thereof and operates in either a state capable of a color printing or a state capable of only a monochromatic printing in accordance with the structure; and

an output request responding unit for transmitting a device ID corresponding to the operating state of the print performing unit to an apparatus outputting an output request when the output request responding unit receives the output request of the device ID.

6. (canceled).

7. (withdrawn): A printer operating as any one of a plurality of kinds of machines, the printer comprising:

a rewriteable nonvolatile storing unit for storing first information used at any time when the printer operates as any of the plurality of kinds of machines and second information whose contents are to be rewritten depending on as which type of machines of the plurality of types of machines the printer operates; and

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

a control part for rewriting only the second information stored in the nonvolatile storing unit to information for a different machine unit when an operation is to be started for the different machine from the machine used up to that time.

8. (withdrawn): A printer according to claim 7, wherein the control part checks the structure of a self-device upon starting to determined whether or not the operation is to be started for the different machine from the machine used up to that time.

9. (withdrawn): A printer according to claim 7, wherein the first information is information related to the number of prints formed in the past.

10. (withdrawn): A printer comprising:

a printing unit for a monochromatic printing;

a receiving unit for receiving print job data;

a determining unit for determining whether the print job data received by the receiving unit is monochromatic print job data instructing a monochromatic printing or color printing job data instructing a color printing;

a printing control unit for processing the received print job data when the determining unit determines that the received print job data is the monochromatic print job data, and deleting the received print job data when the determining unit determines that the received print job data is the color print job data.

11. (withdrawn): A printer according to claim 10 further comprising an information transmitting unit for transmitting information representing that the determining unit determines that the received print job data is the color print job data to a computer having a function of informing a user of a message corresponding to the information.

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

12. (withdrawn): A printer comprising:

a printing unit capable of operating in a first state capable of only a monochromatic printing and in a second state capable of a monochromatic printing and a color printing;

a receiving unit for receiving a print job data;

a determining unit for determining whether the print job data received by the receiving unit is monochromatic print job data instructing a monochromatic printing or color printing job data instructing a color printing; and

a printing control unit for causing the printing unit to produce a printed material corresponding to a determining result of the determining unit based on the print job data when the printing unit operates in the second state, and causing the printing unit to produce a monochromatic printed material based on the printing job data which is determined as the monochromatic printing job data by the determining unit and delete the printing job data which is determined as the color printing job data by the determining unit when the printing unit operates in the first state.

13. (previously presented): A printer according to claim 1, wherein only the apparatus name information among the plurality of apparatus name information coordinates with the structure.

14. (previously presented): A printer according to claim 1, wherein the structure is a cartridge.

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

15. (withdrawn): A printer according to claim 10, wherein the printing control unit deletes all data for each pixel in the received print job data when the determining unit determines that the received print job data is the color print job data.

16. (previously presented): A printer comprising:

a printing device comprising a container in which ink is stored, wherein at least a portion of the printing device has a changeable structure and wherein the printing device changes a printing operation depending on the changeable structure;

a memory that stores a plurality of apparatus name information for a corresponding plurality of identification information of apparatuses; and

a control circuit that transmits an apparatus name information among the plurality of apparatus name information, wherein the transmitted apparatus name information corresponds to the changeable structure when a prescribed request is received, to an apparatus transmitting the prescribed request.

17. (previously presented): A printer comprising:

a printing device comprising a container in which ink is stored, wherein at least a portion of the printing device has a changeable structure and operating in either a state capable of a color printing or a state capable of only a monochromatic printing in accordance with the changeable structure; and

RESPONSE UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO.: 10/766,330

ATTY MATTER NO.: Q79647

a control circuit that transmits a printer name corresponding to the operating state of the print performing unit to an apparatus outputting an output request when the output request responding unit receives the output request of the printer name.

18 (previously presented): A printer comprising:

a printing device comprising a container in which ink is stored, wherein at least a portion of the printing device has a changeable structure and operating in either a state capable of a color printing or a state capable of only a monochromatic printing in accordance with the changeable structure; and

a control circuit that transmits a device ID corresponding to the operating state of the print performing unit to an apparatus outputting an output request when the output request responding unit receives the output request of the device ID.